INDEX

Index

aalii, 19, 48
ABBOTT, ISABELLA A.:
  Brackish-Water Algae from the Hawaiian Islands, 193–214
Acacia Koa, 14, 18, 19, 47, 99
Acanthocephalids, immature, 77
Acridotheris tristis, 70
Acrochaetium, 196, 203
  robustum, 202, 203
  seriatum, 202, 203
Aedes aegypti, 77, 80
  albopictus, 77
Aelurostrongylus abstrusus, 77, 78
Agaricus, 93
ahlaea laau, 11, 12
Aleurites moluccana, 11, 15, 47, 99
  triloba, 10
Algae
  brackish-water, from Hawaiian Islands, 193–214
  brown, 193, 195, 199–200
  fresh-water, 195, 211
  green, 193, 195, 196–199
  key to Hawaiian brackish-water, 195–196
  marine, 193, 194
  red, 193, 195, 200–211
  salt-water, 193, 194
ALICATA, JOSEPH E.
  Parasites and Parasitic Diseases of Domestic Animals in the Hawaiian Islands, 69–84
Alphitobius diaperinus, 70, 79
Ammophirus insularis, 70, 79
Amphibia (in *Bibliographica Micronesica*), 143–144
Amphipoda, 70, 71, 79, 80
Analysis of oxygen and chloride in pond waters, 108–115
anaplasmosis, 69
Anoplocephala magna, 76, 81
  perfoliata, 76, 81
Anchoviella purpurea, 241
Ancylostoma caninum, 77, 78, 80
Anoplura, 79, 80
Anthropological Sciences, 55
ants, 71, 80
Aphodius livius, 72, 79
  spp., 74, 83
Arcyria denudata, 94
  nutans, 94
Arhythmorhynchus sp., 77, 78
arsenic
  accumulation in foods, 153–154
  accumulation in soils, 151–171
  in Hawaiian soils, 152, 159–169
arsenic: phosphorus ratio in soils, 151–159
Arsenic Toxicity Studies in Soil and in Culture Solution, 151–171
Arthropoda, 70–83
Artiodactyla, 79, 80, 82, 83
Artocarpus incisus, 96, 99, 100, 102, 106
Ascaridia galli, 70, 79
Ascaris suum, 74, 82
Ascarops strongylina, 74, 83
Atractomorpha ambigua, 70, 79
auricular myiasis, 73
Auricularia, 94, 102, 104
Auricularia adnata, 104, 105
  ampla, 101–104
  auricula-judae, 93, 103
  auricularis, 102
  cornea, 103
  mesenterica, 104, 105
  ornata, 103, 104–105
  peltata, 105
Aves (in *Bibliographica Micronesica*), 136–143
awa, 194

Balantidium coli, 74, 82
BALDWIN, PAUL H., and FISHER, HARVEY I.:
  Notes on the Red-billed Leiothrix in Hawaii, 45–51
BARTSCH, PAUL:
  The Little Hearts (Corculum) of the Pacific and Indian Oceans, 221–226
Basidiomycetes, 95–106
Bassia, 10
Batis maritima, 194, 197, 200, 203, 212
bean, toxicity of arsenic for, 151–171
beetles, 70, 71, 72, 74, 79, 83
Bennett's Locality for Sandalwood, 9
Bibliographica Micronesica, Chordate sections, 129–150
bibliography, botanical, of Pacific Islands (notice of), 189
bird malaria, 51, 70
Bishop Museum (research facilities), 119–120
biting louse, 76
Bixa Orellana, 11, 12
blackhead of turkeys, 70
bladderworm, 73, 75, 76, 77, 78
Blattella germanica, 71, 72, 79, 80
blowfly, 73, 76
Board of Agriculture and Forestry, 123
  of Health, 123
  of Water Supply (Honolulu), 121
Boletus Katui, 93
  sanguineus, 93
Bos taurus, 72–74, 78–79
bot fly, 76

botanical bibliography of the islands of the Pacific (notice of), 189
Botryobasidium isabellinum, 106
Bourdotia, 96, 99
Bovicola bovis, 73, 79
  caprae, 76, 81
bovine coccidiosis, 72
Brackish-Water Algae from the Hawaiian Islands, 193–214
Bryopsis, 196, 198
  Harveyana, 198, 199
  pennata var. *secunda*, 198
  plumosa, 198, 199
  plumosa var. *Harveyana*, 198, 199
    var. *Leprieurii*, 198
    var. *pennata*, 198
    var. *typica*, 198, 199
Bufo marinus, 70
Bunostomum phlebotomum, 72, 79
burrowing roach, 70

California Packing Corporation (research facilities), 120
candle nut tree, 10
canine coccidiosis, 77
Canis familiaris, 75, 76, 77, 80–81, 83
Capra hircus, 76–77, 81
Cardiidae, 221
Cardissa, 221
Cardium cardissa, 221, 223
  dionaeum, 224
  humanum, 225
  inversum, 222
  junonae, 225
  monstrosum, 222
  roseum, 225
  unimaculatum, 224
Carex longebrachiata, 118
  longifolia, 118
  new species of, 116–118
  vitiensis, 116–118
Carica Papaya, 100
Carpophilus dimidiatus, 70, 79
Casuarina, 47
cat, 51
  flea, 78
  parasites of, 77
cattle, 72, 73, 78
cattle grub, 73
Caulerpa, 196, 199
  Sertularioides, 199
cecal fluke, 71
Centroceras, 196, 207
  clavulatum, 195, 207, 208, 210
Ceramium, 195, 196, 207, 210
  diaphanum, 208, 210
  Kuetzingianum, 208
  sp. (1), 208–210
  sp. (2), 209–210
Ceratiomyxa fruticulosa, 94
Ceratobasidium cornigerum, 96
Chaetomorpha, 195, 197
  aerea, 197
  antennina, 197
Chanos chanos, 194
chart showing travel times of seismic waves to Honolulu (insert), 184–185
Cheilospirura hamulosa, 70, 79, 83
chickens, parasites of, 69–71, 79–80
Chinese dove, 70
Chloride and Oxygen Analysis Kit for Pond Waters, 108–115
Chlorophyceae, 193, 195, 196
Choanotaenia infundibulum, 71, 80
Choerostrongylus pudendotectus, 74, 83
Chordate sections, *Bibliographica Micronesica*, 129–150
Chrysomia megacephala, 73, 76, 79, 82
  rufifacies, 73, 79
Cibotium Chamissoi, 17, 49
Citrus spp., 105
Cladophora, 195, 198, 204
CLEMENTS, HARRY F., and MUNSON, JEROME: Arsenic Toxicity Studies in Soil and in Culture Solution, 151–171
coccidia, 69, 70, 72, 74, 77, 78, 79, 80, 82
coccidiosis
  avian, 69, 79
  bovine, 72, 78–79
  canine, 77, 80
  rabbit, 78, 82
  swine, 74, 82
Cocos nucifera, 95, 97, 99, 100, 102, 106
Coleoptera, 70, 71, 79, 80
Columba livia domestica, 69–71, 82
Columbicola columbae, 71, 82
Comatricha Typhoides, 94
Conocephalus saltator, 70, 71, 79, 80
Convolvulus Batatas, 10
Cooperia pectinata, 72, 79
  punctata, 72, 76, 79, 82
Copris incertus, 71
  minutus, 71
Corculum (Little Hearts) of Pacific and Indian Oceans, 221–226
Corculum, key to species, 222
Corculum aselae, 222, 225, 226
  cardissa, 222, 223, 224
  dionaeum, 222, 224
  dolorosum, 222
  humanum, 222, 225
  inflatum, 222
  levigatum, 222, 226
  monstrosum, 222, 226
  obesum, 222, 224
Cordia "myxa," 105
Cordyline terminalis, 7, 47
Coriolus versicolor, 104
Corticium botryosum, 106
  suecicum, 99

Cox, D. C., *et al.*:
The Tsunami of April 1, 1946, in the Hawaiian Islands, 21–37
Cribraria tenella, 94
crop worm, 70
Cryptonemiales, 204
Ctenocephalides felis, 77, 78, 80
Culex quinquefasciatus, 77, 80
Curcuma longa, 11, 12
Cyathodes, 10
Cyathostomum coronatum, 75, 81
Cycles in Rainfall and Validity in Prediction of Rainfall in Hawaii, 215–220
Cylicocercus catinatus, 75, 81
goldi, 75, 81
pateratus, 75, 81
Cylicocyclus leptostomus, 75, 81
nassatus, 75, 81
Cylicodontophorus bicoronatus, 75, 81
euproctus, 75, 81
Cylicostephanus calicatus, 75, 81
longibursatus, 75, 81
minutus, 75, 81
Cylicosternus asymetricus, 75, 81
Cyperaceae, 116–118
Cyrtosperma, 93

Dactylosternum abdominale, 70, 79
Damage by Tsunami of April 1, 1946, 34
DEAN, R. B., and HAWLEY, R. L.:
A Chloride and Oxygen Analysis Kit for Pond Waters, 108–115
Dendrophilus punctatus, 71, 80
Dermanyssus gallinae, 71, 80
Dermaptera, 70, 80
Dermestes vulpinus, 70, 71, 72, 79, 80
desmids, 195
Dianella, 10
sandwicensis, 11
diatoms, 193, 194, 204
Dicranopteris linearis, 17, 48
Dictydium cancellatum, 94
Dictyocaulus viviparus, 72, 79
Diospyros Hillebrandii, 11
Dipylidium caninum, 77, 78, 80
Dirofilaria immitis, 77, 80
diseases, parasitic, of domestic animals, 69–84
cat, 77–78
cattle, 72–75, 78–79
chicken, 69–71, 79–80
dog, 77, 80–81
goat, 76–77, 81
guinea fowl, 69–71, 81
horse, 75–76, 81
peafowl, 69–71, 82
pigeon, 69–71, 82
rabbit, 78, 82
sheep, 76–77, 82
swine, 74–75, 82–83
turkey, 69–71, 83
Dispharynx spiralis, 70, 71, 79
Dodonaea viscosa, 19, 48
dog, 51
parasites of, 75, 76, 77, 80, 81
Dolomitization in Semi-arid Hawaiian Soils, 38–44
domestic animals, parasites and parasitic diseases of, 69–84
dooe dooe, 15
dourine, 69
dove, Chinese, 70

ear canker, 74
tick, 73, 76
Earth Sciences, 55
earthworms, 74, 83
Echidnophaga gallinacea, 71, 77, 78, 80, 81
Ectocarpus, 196, 199
Duchassaingianus, 199, 200
indicus, 195, 199, 200, 201
Mitchellae, 200
Sargassi, 200
Eimeria bovis, 72, 78
bukidnonensis, 72, 78
cylindrica, 72, 78
debliecki, 74, 82
scabra, 74, 82
spinosa, 74, 82
stiedae, 78, 82
tenella, 69, 79
zurnii, 72, 78
Elaeocarpus bifidus, 11
Elatae, 118
enaena, 11
English sparrow, 70, 71
Enteromorpha, 194, 195, 196
flexuosa, 196–197
intestinalis, 197
spp., 200
Eomenacanthus stramineus, 71, 80
epiphytes, 93
Epitragus diremptus, 70, 71, 79, 80
Equus caballus, 75–76, 81
Erythrina sandwicensis, 19
Erythrotrichia, 196, 200
carnea, 195, 200, 204, 205
Euborellia annulipes, 70, 71, 80
Eucalyptus, 47
Eucarex, 118
Eugenia malaccensis, 15
sandwicensis, 16
Eulota similaris, 71, 77, 78, 80
Euphorbiaceae, 11
Euxestus sp., 70, 79
Exidia ampla, 101
cornea, 103
Exidiopsis cerina, 96
explosive eruption of Kilauea in 1924, 237–240
eyeworm, 70

facilities for research in Hawaiian Islands, 119–126
Factors in the Behavior of Ground Water in a Ghyben-Herzberg System, 172–184
Fannia sp., 73, 79
Fasciola gigantica, 69, 72, 75, 76, 79, 81, 82, 83
hepatica, 72, 76
Fault at Waimea, Oahu, 85–91
Feldmannia, 199
Felicola subrostrata, 78
Felis domestica, parasites of, 77–78
Fiji, new species of *Carex* from, 116–118
filarid, skin, 72
Filariodes osleri, 77, 80
FINCH, R. H.:
The Mechanics of the Explosive Eruption of Kilauea in 1924, 237–240
FISHER, HARVEY I.:
Bibliographica Micronesica, Chordate Sections, 129–150
The Skeletons of Recent and Fossil Gymnogyps, 227–236
FISHER, HARVEY I., and BALDWIN, PAUL H.:
Notes on the Red-billed Leiothrix in Hawaii, 45–51
fish-ponds (of Hawaii), 193, 194
fleas
cat, 78
sticktight, 71, 77, 78
flies, 73, 75
flukes, 69, 71, 72, 75, 76, 79, 80, 81, 82, 83
Fomes amboinensis, 93
food, accumulation of arsenic in, 153–154
Fossaria ollula, 72, 79, 81, 82, 83
fresh-water algae, 195, 211
fruitfly investigations, 124
FUJIMOTO, CHARLES K., *et al.*:
Dolomitization in Semi-arid Hawaiian Soils, 38–44
Fuligo septica, 94
Fulbright Act and financing research in Pacific, 245–246
Fungi Imperfecti, 106
Fungi of the Marshall Islands, Central Pacific Ocean, 92–107

Galera sp. (*confertae* aff.), 93
Gallus gallus, 69–71, 79–80
Gardenia Remyi, 47
Gastrophilus intestinalis, 76, 81
nasalis, 76, 81
Gastropoda, 78, 79, 80, 81, 82, 83
Gelidiales, 204
Gelidium, 196, 200, 203
pusillum, 203
pusillum var. *conchicola*, 204
geology, ground-water, 172–184
Geology (Waimea, Oahu), 85–91
Ghost Prawns (Sub-Family Luciferinae) in Hawaii, 241–242
Ghyben-Herzberg system, factors affecting, 172–184
Giffordia, 199
ginger, 15
gizzard worm, 70
Glaziella aurantiaca, 95
vesiculosa, 95
Gloeotulasnella calospora, 96
Gnaphalium, 10
sandwicensium, 11
goats, parasites of, 76–77, 81
Gongylonema ingluvicula, 70, 79
pulchrum, 72, 79
Goniocotes gigas, 71, 80
hologaster, 71, 80, 83
Goniodes stylifer, 71, 80, 83
Gonocephalus seriatum, 70, 71, 79, 80
Gracilaria, 196, 206
confervoides, 206
coronopifolia, 205, 206, 207
euchemoides, 206
No. 1, 206
No. 2, 206
Grateloupia, 196, 200, 205
dichotoma, 206
filicina, 205, 206
filicina forma *Hawaiiensis*, 205
ground water, factors affecting, 172–184
guava, 47, 48
Guepinia Spathularia, 101
guinea fowl, 69–71, 81
gullet worms, 72
Gyalocephalus capitatus, 75, 81
Gymnogyps, Recent and Fossil, Skeletons of, 227–236
Gymnogyps amplus, 227–236
californianus, 227–236

Habronema microstoma, 75, 81
muscae, 75, 81
Haematopinus adventicius, 75, 83
eurysternus, 73, 79
suis, 75
Haemonchus contortus, 72, 76, 79, 82
Haemoproteus columbae, 70, 82
hala tree, 10
Halophila ovalis, 194
halophytes, 194
hau, 47, 48
Hawaii National Park (research facilities), 120
Hawaiian hawk, 51
Hawaiian Islands
algae, brackish-water, of, 193–214
eruption of Kilauea in 1924, 237–240
facilities for research in, 119–126
fault at Waimea, Oahu, 85–91
ghost prawns in, 241–242
Manilkara on Oahu, 243–244
parasitic diseases of domestic animals in, 69–84
prediction of rainfall in, 215–220

red-billed Leiothrix in, 45–51
sandalwood on Oahu, 5–20
tsunami of April 1, 1946, in, 21–37
Hawaiian Pineapple Company (research facilities), 120
Hawaiian soils, toxic levels of arsenic in, 152, 159–169
Hawaiian Sugar Planters' Association (research facilities), 120
Hawaiian Tuna Packers (research facilities), 121
Hawaiian Volcano Observatory (research facilities), 121
Hawaiian Volcano Research Association (research facilities), 121
HAWLEY, R. L., and DEAN, R. B.:
A Chloride and Oxygen Analysis Kit for Pond Waters, 108–115
head maggot, 76
height of waves
factors influencing, 28–34
in open sea, 25
on Hawaiian shores, 27
Hawaii, 33
Kauai, 27
Maui, 31
Molokai, 30
Oahu, 29
Helicomyces roseus, 106
Hemitrichia serpula, 94
stipitata, 94
vesparium, 94
Heterakis gallinae, 70, 79
Heterochaetella, 99
dubia, 97
Heterodoxus longitarsus, 77, 81
HIATT, ROBERT W.:
Ghost Prawns (Sub-Family Luciferinae) in Hawaii, 241–242
Hibiscus, 105
Arnottianus, 47, 99
tiliaceus, 47
Hirneola, 102
ampla, 101
Histomonas meleagridis, 70, 83
history
of sandalwood in Hawaii, 6
of tsunamis in Hawaii, 22
History, Present Distribution, and Abundance of Sandalwood on Oahu, Hawaiian Islands, 5–20
hoawa, 11
hog, 51
mange mite, 75
hookworms, 77
horn fly, 73
horse, parasites of, 75–76, 81
hydrostatics, 172–184
Hymenolopis carioca, 71
exigua, 69, 71, 80
Hyostrongylus rubidus, 74–83
Hypholoma jaluitensis, 93
Hypnea, 196, 206
armata, 207
cervicornis, 207
cornuta, 207
divaricata, 207
nidifica, 206, 207
nidulans, 205, 207
pannosa, 207
Hypochnus isabellinus, 106
Hypoderma lineata, 73, 79

iliahi, 5, 6, 9, 12, 18, 19
indigo, 18
international co-operation, recommendations for, 54
Ipomoea batatas, 11, 12
ironwood, 47
Isopoda, 71, 79

Japanese hill robin, 45

kalia, 11
kamani tree, 47
KANEHIRO, YOSHINORI, *et al.*:
Dolomitization in Semi-arid Hawaiian Soils, 38–44
kangaroo lice, 77
karia, 10, 11
kealia, 11, 12
key to brackish-water algae of Hawaiian Islands, 195–196
ghost prawns in Hawaii, 242
little hearts (Corculum) of Pacific and Indian Oceans, 222
Kilauea volcano, 237
koa, 14, 18, 19, 47
kopiko, 19
kukui, 11, 15, 47

laau ala, 6, 18
Lachnea jaluitensis, 93
lajiling kijilik (rat's ear fungus), 102
lama, 10, 11
lauhala, 9, 10, 12
lau, hula hula, 12
lau, keo keo, 12
Leiothrix lutea, 45–51
distribution in Hawaii, 46
eggs, 50
flocking, 48
food, 51
habitat in Hawaii, 47
hatching, 50
nesting, 48
young, 50
Libby, McNeill and Libby (research facilities), 122

lice, 71, 73, 75, 76, 77, 78
biting, 76, 78
kangaroo, 77
sucking, 76
lichens, 93
limu ekahakaha, 204
huluhuluwaena, 206
loloa, 204
manauea, 206
pakeleawaa, 206
Linognathus africanus, 76, 81
Lipeuris caponis, 71, 80
gallipavonis, 71, 83
heterographus, 71, 80
Litargus balteatus, 70, 79
Little Hearts (Corculum) of Pacific and Indian Oceans, 221–226
liver flukes, 69, 72, 75, 76
control of, 72
loss of life from tsunami of April 1, 1946, 35
Lualualei Valley, soil of, 39, 43
Lucifer faxonii, 241–242
orientalis, 242
reynaudii, 241
typus, 241, 242
Luciferinae (ghost prawns) in Hawaii, 241–242
Lucilia sericata, 73, 79
lumma, 10, 11
Lycopersicon esculentum, toxicity of arsenic for, 151–171
Lynchia maura, 71
Lyperosia irritans, 73
Lyponyssus bursa, 71, 80

MACDONALD, G. A., *et al.*:
The Tsunami of April 1, 1946, in the Hawaiian Islands, 21–37
Macrodrili, 83
Makaha Valley, soil of, 39, 40
Malacca apple, 15
malaria, bird, 70
mamake, 11
mamani, 48
mamati, 10
Mammalia (in *Bibliographica Micronesica*), 133–136
mange mites, 77
Manilkara emarginata, 243, 244
hexandra, 243
kauki, 243, 244
Manilkara Found on Oahu, Hawaii, 243–244
Marasmius callopus var. *jaluitensis*, 93
Pandanicola, 93
Marshall Islands, fungi of, 92–107
Mechanics of the Explosive Eruption of Kilauea in 1924, 237–240
medicine, 58
Megninia cubitalis, 71, 80
Meleagris gallopavo, 69–71, 83
Melophagus ovinus, 76, 82
Menopon gallinae, 71, 80, 81, 83
phaeostomum, 71, 81, 82
MERRILL, E. D.:
Botanical Bibliography of the Islands of the Pacific (notice of), 189
Merulius Spathularia, 101
Messerschmidia argentea, 99, 104, 105
Metasphaeria fur, 93
Jus, 93
spp., 93
Metastrongylus elongatus, 74, 83
meteorology, 57
Metrosideros collina ssp. *polymorpha*, 18, 19, 47
mice, 77, 78
microbenthos, 194
Micronesia
bibliography of, 129–150
Marshall Islands, fungi of, 92–107
University of Hawaii Expedition to, 60–62, 92
U.S. Commercial Company Survey of, 62
milkfish, 194
mites, 71, 75, 77, 81
body, 71, 80
fowl, 71, 80
hog mange, 75, 83
mange, 77, 81
red, 71, 80
wing, 71, 80
mongoose, 51
Morinda citrifolia, 11, 12
mosquitoes, 77
Mugil cephalos, 194
mullet, 194
MUNSON, JEROME, and CLEMENTS, HARRY F.:
Arsenic Toxicity Studies in Soil and in Culture Solution, 151–171
Musca domestica, 71, 75, 80, 81
Mus musculus, 77, 78
myiasis, auricular, 73
mynah bird, 70, 71
Myxophyceae, 193
Myxomycetes, 94–95

National Research Council, 52
naupaka kuahiwi, 11, 19
NEAL, MARIE C.:
A Manilkara Found on Oahu, Hawaii, 243–244
nehu, 241
Nematodirus spathiger, 76, 82
Nephrolepis exaltata, 16
New Species of Carex (Cyperaceae) from Fiji, 116–117
noni, 11, 12
Notes
Editor's comments, 247
facilities for research in natural sciences in the Hawaiian Islands, 119–126
Micronesian expedition of University of Hawaii, 60–62
new botanical bibliography of Pacific Islands, 189

opportunities for financing research in Pacific under the Fulbright Act, 245–246
Pacific Science Conference, recommendations of, 52–59
scientists and the fortieth anniversary of the University of Hawaii, 189–190
survey of Micronesia by U.S. Commercial Company, 62
Notes on the Red-billed Leiothrix in Hawaii, 45–51
nouputa, 10, 11
Numidia meleagris, 69–71, 81

Oahu, fault at Waimea, 85–91
oceanography, 57, 185–188
Ochrosia parviflora, 106
Oesophagostomum dentatum, 74
radiatum, 72, 79
Oestrus ovis, 76, 82
ogo, 206
ohava, 10, 11
ohe, 19
ohia ha, 19
ohia lehua, 18, 19, 47
oi, 47, 48, 49
Oidium tomentosum, 106–107
olena, 11, 12
Oligosiphonia, 212
olive-green creeper, 51
olopua, 19
Orchestia platensis, 70, 71, 79, 80
oreina, 11
oreyna, 10
Oriental blowfly, 76
Ornithostrongylus quadriradiatus, 70, 82
Orthoptera, 70, 71, 79, 80
Oryctolagus cuniculoris, 78, 82
Osmanthus sandwicensis, 19
Osteomeles anthyllidifolia, 10, 11
Otobius megnini, 73, 76, 79, 82
Ovis aries, 76–77, 82, 83
Oxya chinensis, 70, 79, 80
Oxydema fusiforme, 70, 79
oxygen analysis, 108–115
Oxyspirura mansoni, 70, 79
Oxyuris equi, 75, 81

Pacific Chemical and Fertilizer Company (research facilities), 122
Pacific Foundation War Memorial, 52
Pacific Islands, botanical bibliography of (notice), 189
Pacific Islands Research Committee (University of Hawaii), 60
Pacific Science Conference, recommendations of, 52–59
Pacific Science Congress, 53
Pacific Science Survey, 53
palm foxtail, 47, 48
PALMER, HAROLD S.:
Fault at Waimea, Oahu, 85–91
Palorus ratzeburgi, 70, 79
Pandanus, 10
pulposus, 105
sp., 100, 101, 105, 106
papaya, 51
Parascaris equorum, 75, 81
Parasites and Parasitic Diseases of Domestic Animals in the Hawaiian Islands, 69–91
parasites of
cat, 77–78
cattle, 72–75, 78–79
chicken, 69–71, 79–80
dog, 77, 80–81
goat, 76–77, 81
guinea fowl, 69–71, 81
horse, 75–76, 81
peafowl, 69–71, 82
pigeon, 69–71, 82
rabbit, 78, 82
sheep, 76–77, 82
swine, 74–75, 82–83
turkey, 69–71, 83
Paroreomyza hairdi mana, 51
Passer domesticus, 70
Pavo cristatus, 71, 82
peafowl, 71, 82
Pekin nightingale, 45
Pellicularia isabellina, 106
lembospora, 106, 107
vaga, 106
Peniophora, 97
pallidula, 97
pubera, 99
Sambuci, 99
pepeiaoakua (ghost ear fungus), 102
Perichaena depressa, 94
Phaeophyceae, 193, 195, 196, 199
phanerogams, 194
Phaseolus vulgaris, toxicity of arsenic for, 151–171
Pheidole spp., 80
vinelandica, 71, 80
Pheretima spp., 74, 83
phosphorus: arsenic ratio, 157–159
Phycomycetes, 95
Physaloptera praeputialis, 77, 78
Physarella oblonga, 94
Physarum tenerum, 94
viride, 94
Wingatense, 94
Phytolacca, 10
sandwicensis, 11
pigeon fly, 70, 71
pigeon, parasites of, 69–71, 82
Pineapple Research Institute of Hawaii (research facilities), 122
pineapples, 18
Pipturus albidus, 11
piroplasmosis of cattle, 69
Pisces (in *Bibliographica Micronesica*), 144–150
Pithecolobium Saman, 99

Pittosporum, 12
Plant Sciences, 57
Plasmodium vaughani, 51
Pleurotus, 102
  Schwabeanus, 93
poina, 10
point of sterilization in soil, by arsenic, 169
pokeawi, 10
Polyporus Kamphoeveneri, 93
  Sanguineus, 93
  xanthopus, 93
Polysiphonia, 193, 195, 196, 197, 200, 204, 207, 211
  aquamara, 210, 212
  sp., 211, 212
  subtillissima, 212
Polystictus sanguineus, 93
pond waters, analysis of, 108–115
  chlorine, 112–113
  kit (apparatus), 109–112
  oxygen, 113–114
popolo, 11
poporo-tumai, 10
Porcellio laevis, 71, 79
Postharmostomum gallinum, 71, 80
Poteriostomum imparidentatum, 75, 81
poultry ascarid, 70
poultry, parasites of, 69–71, 79, 81, 82, 83
Pratella, 93
Probstmayria vivipara, 75, 81
Protochordata (in *Bibliographica Micronesica*), 150
protozoa, 69, 72, 74, 75, 76, 77, 78, 79, 80, 82, 83
proventricular worms, 70, 80
Psathyra Schwabeana, 93
Psathyrella disseminata, 93
Pseudolynchia canariensis, 70, 71, 82
Psidium Cattleianum, 51
  Guajava, 47, 99
Psoroptes communis, 78, 82
Pterolichus obtusus, 71, 80
Public Health, 58
pukeawe, 11, 19, 48
Pulex irritans, 80
Pycnoscelus surinamensis, 70, 79
Pyrus anthylidifoliae, 10

rabbit, parasites of, 78, 82
Raillietina cesticillus, 71, 80
  tetragona, 71, 80
rainfall, prediction of, 215–220
rat, 51
Rattus rattus alexandrinus, 78
  norvegicus, 78
  rattus, 78
Reptilia (in *Bibliographica Micronesica*), 143–144
research in Hawaiian Islands, facilities for, 119–126
Reynoldsia sandwicensis, 19
Rhipicephalus sanguineus, 77, 81
Rhizoclonium, 195, 197
  sp., 197
Rhodophyceae, 193, 195, 196, 200–211
Rhodophyllidaceae, 204
ROGERS, DONALD P.:
  Fungi of the Marshall Islands, Central Pacific Ocean, 92–107
roundworms, 70, 72, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83
Rubus rosaefolius, 47, 51
rumen fluke, 72, 79

Saccharum officinale, effect of arsenic on, 169
ST. JOHN, HAROLD:
  The History, Present Distribution, and Abundance of Sandalwood on Oahu, Hawaiian Islands, 5–20
  A New Species of Carex (Cyperaceae) from Fiji, 116–117
Samanea Saman, 99
Sandalwood (*see also Santalum*), 5–20
  distribution on Oahu, 13
  history of, in Hawaii, 6
  location of original forests, 17
  oil, 5
  rate of growth, 16
Santalum (*see also* Sandalwood), 5
  album, 5
  austrocaledonicum, 6
  boninense, 6
  ellipticum, 6
  fernandezianum, 6
  Freycinetianum, 6–19
  haleakalae, 6
  hendersonense, 6
  insulare, 6
  lanaiense, 6
  lanceolatum, 5
  Macgregorii, 5
  obtusifolium, 5
  ovatum, 5
  paniculatum, 6, 18
  papuanum, 5
  Pilgeri, 6
  pyrularium, 6
  Yasi, 6
Sarcoptes scabiei suis, 75, 83
Sargassum, 200
Scaevola, 10
  Gaudichaudiana, 11, 19
  glabra, 11
Scaphophorum Agaricoides, 93
Schizophyllum Alneum, 93
  commune, 93
Sebacina, 99
  caesio-cinerea, 99
  cinerea, 96
  dubia, 96–97
  farinacea, 97–100, 106

Galzinii, 99, 100
petiolata, 98–100
Pululahuana, 100
umbrina, 100
smic sea waves, 22
(travel times of, 185–188)
tobasidium, 94, 105
p. (*bogoriense* affin.), 105–106
via palmifolia, 47
ep, parasites of, 76–77, 82
ep tick, 76
EPARD, F. P., *et al.*:
The Tsunami of April 1, 1946, in the Hawaiian Islands, 21–37
ERMAN, G. DONALD, *et al.*:
Dolomitization in Semi-arid Hawaiian Soils, 38–44
ma Xi, 189–190
honaptera, 78, 80
lonia irritans, 73
ophilus oryzae, 70, 79
letons of Recent and Fossil Gymnogyps, 227–236
n filarid, 72
gs, 77
ils, 71, 72, 77
and, 77
imnaeid, 72
, accumulation of arsenic in, 151–171
olomitization in Hawaiian, 38–44
Hawaiian, toxic levels of arsenic in, 159–169
thora chrysophylla, 48
ghum vulgare, toxicity of arsenic for, 151–171
bug, 71
rrow, English, 70, 71
haeria fur, 93
rofuga, 93
nose ear tick, 73, 76
rogyra, 193, 195, 196
chytarpheta cayennensis, 47, 49
ghorn fern, 48
monitis fusca, 94
splendens, 94
phanofilaria stilesi, 72, 79
phanuris dentatus, 74, 83
reum hirsutum, 104
mach worms, 72, 74, 76, 77
moxys calcitrans, 73, 75, 76, 81
ussia Mariniana, 19
awberry guava, 51
ptopelia chinensis, 70
ngyloides papillosus, 72, 79
p., 74, 79, 83
ngylus edentatus, 75, 81
quinus, 75, 81
ulgaris, 75, 81
pella minor, 100–101
phelia Tameiameiae, 11, 19, 48
ulina octona, 71, 77, 78, 80
ulura brumpti, 70, 79
cking louse, 76
dan grass, toxicity of arsenic for, 151–171
sugar cane, 18
effect of soil arsenic on, 169
Sus scrofa domestica, 74–75, 77, 82–83
sweet potatoes, 10
swine, parasites of, 74–75, 77, 82–83

Taenia hydatigena, 75, 76, 77, 80, 82, 83
saginata, 73, 79
taeniaeformis, 77, 78, 79
Taenioma, 196, 210
macrourum, 212
perpusillum, 210
tapeworms, 71, 73, 75, 76, 77, 78, 79, 80, 81, 82, 83
taria, 10
Tenebroides nana, 70, 79
Terminalia Catappa, 47
Tetrameres americana, 70, 71, 80
Tetramorium caespitum, 71
spp., 80
Thelaphora cinerea, 96
Thelaphoraceae, 97
thimbleberries, 47, 51
ti, 7, 47, 48
ticks, 73, 74, 76, 77
sheep, 76
spinose ear, 73, 74
tidal waves, 22
toads, 70
tomato, toxicity of arsenic for, 151–171
Tomentella isabellina, 106
Tournefortia sp., 105
Toxascaris leonina, 77, 80
toxicity of arsenic in soil and in culture solution, 151–171
Toxocara canis, 77, 80
Travel Times of Seismic Sea Waves to Honolulu, 185–188
tree ferns, 49
Tribolium castaneum, 70, 79, 80
Trichinella spiralis, 74, 83
trichinosis, 74–75
Trichodectes latus, 77, 80, 81
Trichostrongylus axei, 75, 81
instabilis, 76
Trichuris ovis, 72, 79
suum, 74, 83
vulpis, 77, 80
Triodontophorus brevicauda, 75, 81
serratus, 75, 81
tsunami (*see also* seismic sea wave)
damage by, 34
definition of, 21
history of, in Hawaii, 22
loss of life from and injury by, 35
mitigation of disasters resulting from, 36
Tsunami of April 1, 1946, in the Hawaiian Islands, 21–37
Tubuliferae, 97
tui tui, 10

Tulasnella allantospora, 95–96
sphaerospora, 96
violea, 96
turkey, parasites of, 69–71, 83
turmeric, 11
Typhaea stercorea, 70, 79

uala, 11, 12
uki, 10, 11
Ulva, 195, 197
fasciata, 197
Lactuca, 197
U. S. Bureau of Animal Industry (research facilities), 123
U. S. Bureau of Entomology and Plant Quarantine (research facilities), 123
Fruitfly Investigations (research facilities), 124
U. S. Coast and Geodetic Survey (research facilities), 124
U. S. Commercial Company, 1946 Survey of Micronesia, 62
U. S. Geological Survey (research facilities), 124–125
Ground Water Division (research facilities), 125
Surface Waters Division (research facilities), 124–125
U. S. Public Health Service (research facilities), 125
U. S. Weather Bureau Office (research facilities), 125
University of Hawaii (research facilities), 125
Agricultural Experiment Station (research facilities), 126
Micronesian expedition, 60, 92
scientists and the fortieth anniversary, 189–190
ure, 10
Urtica argentea, 10
Utinomi's ***Bibliographica Micronesica:*** Chordate Sections, 129–150
uulei, 11
uwara, 10

Vaucheria, 195, 198
dichotoma, 198
sp., 198
Thuretii, 198
Vitex hawaiiensis, 244
mollis, 244

Waianae Valley, soil of, 39, 40
Waimea, Oahu, fault at, 85–91
water (ground water), 172–184
wave crests (interval between), 24
WENTWORTH, CHESTER K.:
Factors in the Behavior of Ground Water i Ghyben-Herzberg System, 172–184
Cycles in Rainfall and Validity in Predictio Rainfall in Hawaii, 215–220
white hibiscus, 47
wiliwili, 19
worms
bladder, 73, 75, 76, 77, 78
cecal, 70
eyeworm, 70
gizzard, 70
gullet, 72
hookworm, 77
proventricular, 70, 80
roundworms, 70, 72, 74, 75, 76, 77, 78, 79, 81, 82, 83
stomach, 72, 74, 76, 77
tapeworms, 71, 73, 75, 76, 77, 78, 79, 80, 82, 83
Wurdemannia, 196, 204
miniata, 204, 205
setacea, 204

Xylaria aurantiaca, 95

ZETLER, BERNARD D.:
Travel Times of Seismic Sea Waves to Honolulu, 185–188
Zoological Sciences, 59